

Decoro Pennellato




Decoro Fiore Misto



Decoro Damasco



Cream



Cotton




Dark



Fossil

Touché / Cotton

 **cm. 100x100** **cm. 60x120** **cm. 30x120** **cm. 60x60** **cm. 30x60**
 inch. 39³/₈x39³/₈ inch. 23⁵/₈x47¹/₄ inch. 11¹³/₁₆x47¹/₄ inch. 23⁵/₈x23⁵/₈ inch. 11¹³/₁₆x23⁵/₈

TECHNICAL	DIN 51130	DIN 51097	BCR	ANSI DCOF	Deep Abrasion Resistance	MOHS	Recommended Use	Resistance to Staining	ANSI A 137.1
N NATURAL	R9	A	DRY > 0.40 WET > 0.40	WET ≥ 0.42	< 175 mm ³	≥ 5	4	5	V2



60x120 - 23⁵/₈x47¹/₄
TCH 82RT Cotton Rettificato **02** **1080**



30x120 - 11¹³/₁₆x47¹/₄
TCH 83RT Cotton Rett. **03** **1090**




30x60 - 11¹³/₁₆x23⁵/₈
TCH 86RT Cotton Rett. **07** **1040**




60x120 - 23⁵/₈x47¹/₄
TCH D80K Decoro Fiore Misto **1-1** **576**




60x60 - 23⁵/₈x23⁵/₈
TCH 80RT Cotton Rettificato **03** **1060**



30x30 - 11¹³/₁₆x11¹³/₁₆
TCH 885N Mos. 5x5 Cotton **10** **3115**



30x60 - 11¹³/₁₆x23⁵/₈
TCH 886N Muretto Cotton **04** **3130**




30x30 - 11¹³/₁₆x11¹³/₁₆
TCH 998N Intreccio Mix Dark/Cotton **10** **3170**



30x30 - 11¹³/₁₆x11¹³/₁₆
TCH 829N Mos. Pavone Mix Warm **10** **3160**




60x120 - 23⁵/₈x47¹/₄
TCH D03K Decoro Pennellato Cotton **02** **576**



60x120 - 23⁵/₈x47¹/₄
TCH D81K Decoro Damasco Cotton **02** **576**

100x100 - 39³/₈x39³/₈
TCH 108R Cotton Rettificato **02** **1100**

Touché / Cream

 **cm. 100x100** **cm. 60x120** **cm. 30x120** **cm. 60x60** **cm. 30x60**
 inch. 39³/₈x39³/₈ inch. 23⁵/₈x47¹/₄ inch. 11¹³/₁₆x47¹/₄ inch. 23⁵/₈x23⁵/₈ inch. 11¹³/₁₆x23⁵/₈

TECHNICAL	DIN 51130	DIN 51097	BCR	ANSI DCOF	Deep Abrasion Resistance	MOHS	Recommended Use	Resistance to Staining
OUT WALK 20 MM	R11	A+B+C	DRY > 0.40 WET > 0.40	WET ≥ 0.42	< 130 mm ³	≥ 8	5	5



60x120 - 23⁵/₈x47¹/₄
TCH 42RT Cream Rettificato **02** **1080**



30x120 - 11¹³/₁₆x47¹/₄
TCH 43RT Cream Rett. **03** **1090**



30x60 - 11¹³/₁₆x23⁵/₈
TCH 46RT Cream Rett. **07** **1040**




60x120 - 23⁵/₈x47¹/₄
TCH D41K Decoro Damasco Cream **02** **576**



60x60 - 23⁵/₈x23⁵/₈
TCH 40RT Cream Rettificato **03** **1060**




30x30 - 11¹³/₁₆x11¹³/₁₆
TCH 445N Mos. 5x5 Cream **10** **3115**



30x60 - 11¹³/₁₆x23⁵/₈
TCH 446N Muretto Cream **04** **3130**



30x30 - 11¹³/₁₆x11¹³/₁₆
TCH 448N Intreccio Mix Cream/Seal **10** **3170**



30x30 - 11¹³/₁₆x11¹³/₁₆
TCH 348N Mos. Pavone Mix Ocean **10** **3160**



100x100 - 39³/₈x39³/₈
TCH 104R Cream Rettificato **02** **1100**

OUT WALK

20
Porcelain
slabs


 **cm. 100x100**
 inch. 39³/₈x39³/₈



100x100 - 39³/₈x39³/₈
TCH 124R Cream 20MM Rettificato

01 **1135**

Touché / Dark

 **cm. 100x100** **cm. 60x120** **cm. 60x60** **cm. 30x60**
 inch. 39³/₈x39³/₈ inch. 23⁵/₈x47¹/₄ inch. 23⁵/₈x23⁵/₈ inch. 11¹³/₁₆x23⁵/₈

TECHNICAL	DIN 51130	DIN 51097	BCR	ANSI DCOF	Deep Abrasion Resistance	MOHS	Recommended Use	Resistance to Staining	ANSI A 137.1
N NATURAL	R9	A	DRY > 0.40 WET > 0.40	WET ≥ 0.42	< 175 mm ³	≥ 5	4	5	V2



60x120 - 23⁵/₈x47¹/₄ **02**
TCH 92RT Dark Rettificato **1080**




30x60 - 11¹³/₁₆x23⁵/₈ **07**
TCH 96RT Dark Rett. **1040**




60x120 - 23⁵/₈x47¹/₄ **02**
TCH D91K Decoro Damasco Dark **976**




60x60 - 23⁵/₈x23⁵/₈ **03**
TCH 90RT Dark Rettificato **1060**



30x30 - 11¹³/₁₆x11¹³/₁₆ **10**
TCH 995N Mos. 5x5 Dark **8115**




30x60 - 11¹³/₁₆x23⁵/₈ **04**
TCH 996N Muretto Dark **8180**



30x30 - 11¹³/₁₆x11¹³/₁₆ **10**
TCH 998N Intreccio Mix Dark/Cotton **8170**



30x30 - 11¹³/₁₆x11¹³/₁₆ **10**
TCH 829N Mos. Pavone Mix Warm **8180**




100x100 - 39³/₈x39³/₈ **02**
TCH 109R Dark Rettificato **1100**




100x100 - 39³/₈x39³/₈ **01**
TCH 129R Dark 20MM Rettificato **1135**

OUT WALK **20** Porcelain slabs

 **cm. 100x100**
inch. 39³/₈x39³/₈

Touché / Fossil

 **cm. 100x100** **cm. 60x120** **cm. 30x120** **cm. 60x60** **cm. 30x60**
 inch. 39³/₈x39³/₈ inch. 23⁵/₈x47¹/₄ inch. 11¹³/₁₆x47¹/₄ inch. 23⁵/₈x23⁵/₈ inch. 11¹³/₁₆x23⁵/₈

TECHNICAL	DIN 51130	DIN 51097	BCR	ANSI DCOF	Deep Abrasion Resistance	MOHS	Recommended Use	Resistance to Staining
OUT WALK 20 MM	R11	A+B+C	DRY > 0.40 WET > 0.40	WET ≥ 0.42	< 130 mm ³	≥ 8	5	5



60x120 - 23⁵/₈x47¹/₄ **02**
TCH 12RT Fossil Rettificato **1080**



30x120 - 11¹³/₁₆x47¹/₄ **03**
TCH 13RT Fossil Rett. **1090**




30x60 - 11¹³/₁₆x23⁵/₈ **07**
TCH 16RT Fossil Rett. **1040**




60x120 - 23⁵/₈x47¹/₄ **02**
TCH D11K Decoro Damasco Fossil **976**



60x60 - 23⁵/₈x23⁵/₈ **03**
TCH 10RT Fossil Rettificato **1060**




30x30 - 11¹³/₁₆x11¹³/₁₆ **10**
TCH 115N Mos. 5x5 Fossil **8115**




30x60 - 11¹³/₁₆x23⁵/₈ **04**
TCH 116N Muretto Fossil **8180**



30x30 - 11¹³/₁₆x11¹³/₁₆ **10**
TCH 118N Intreccio Mix Fossil/Seal **8170**



30x30 - 11¹³/₁₆x11¹³/₁₆ **10**
TCH 007N Mos. Pavone Mix Cold **8180**




100x100 - 39³/₈x39³/₈ **02**
TCH 101R Fossil Rettificato **1100**




100x100 - 39³/₈x39³/₈ **01**
TCH 121R Fossil 20MM Rettificato **1135**

OUT WALK **20** Porcelain slabs

 **cm. 100x100**
inch. 39³/₈x39³/₈

Touché / Seal

 **cm. 100x100** **cm. 60x120** **cm. 60x60** **cm. 30x60**
 inch. 39³/₈x39³/₈ inch. 23⁵/₈x47¹/₄ inch. 23⁵/₈x23⁵/₈ inch. 11¹³/₁₆x23⁵/₈

TECHNICAL	DIN 51130	DIN 51097	BCR	ANSI DCOF	Deep Abrasion Resistance	MOHS	Recommended Use	Resistance to Staining	ANSI A 137.1
N NATURAL	R9	A	DRY > 0.40 WET > 0.40	WET ≥ 0.42	< 175 mm ³	≥ 5	4	5	V2




60x120 - 23⁵/₈x47¹/₄ **02**
TCH 22RT Seal Rettificato **1080**



30x60 - 11¹³/₁₆x23⁵/₈ **07**
TCH 26RT Seal Rett. **1040**




60x60 - 23⁵/₈x23⁵/₈ **03**
TCH 20RT Seal Rettificato **1060**



30x30 - 11¹³/₁₆x11¹³/₁₆ **10**
TCH 225N Mos. 5x5 Seal **3115**



30x60 - 11¹³/₁₆x23⁵/₈ **04**
TCH 226N Muretto Seal **3130**



30x30 - 11¹³/₁₆x11¹³/₁₆ **10**
TCH 228N Intreccio Mix Seal/Cream **3170**



30x30 - 11¹³/₁₆x11¹³/₁₆ **10**
TCH 829N Mos. Pavone Mix Warm **3180**




100x100 - 39³/₈x39³/₈ **02**
TCH 102R Seal Rettificato **1100**




100x100 - 39³/₈x39³/₈ **01**
TCH 122R Seal 20MM Rettificato **1135**

OUT WALK **20** Porcelain slabs

 **cm. 100x100**
inch. 39³/₈x39³/₈

Touché / Ocean

 **cm. 60x120** **cm. 30x120** **cm. 60x60** **cm. 30x60**
 inch. 23⁵/₈x47¹/₄ inch. 11¹³/₁₆x47¹/₄ inch. 23⁵/₈x23⁵/₈ inch. 11¹³/₁₆x23⁵/₈

TECHNICAL	DIN 51130	DIN 51097	BCR	ANSI DCOF	Deep Abrasion Resistance	MOHS	Recommended Use	Resistance to Staining
OUT WALK 20 MM	R11	A+B+C	DRY > 0.40 WET > 0.40	WET ≥ 0.42	< 130 mm ³	≥ 8	5	5



60x120 - 23⁵/₈x47¹/₄ **02**
TCH 32RT Ocean Rettificato **1080**




30x120 - 11¹³/₁₆x47¹/₄ **03**
TCH 33RT Ocean Rett. **1090**




60x60 - 23⁵/₈x23⁵/₈ **03**
TCH 30RT Ocean Rettificato **1060**



30x60 - 11¹³/₁₆x23⁵/₈ **07**
TCH 36RT Ocean Rett. **1040**




30x30 - 11¹³/₁₆x11¹³/₁₆ **10**
TCH 335N Mos. 5x5 Ocean **3115**



30x60 - 11¹³/₁₆x23⁵/₈ **04**
TCH 226N Muretto Ocean **3130**



30x30 - 11¹³/₁₆x11¹³/₁₆ **10**
TCH 338N Intreccio Mix Ocean/Cotton **3170**



30x30 - 11¹³/₁₆x11¹³/₁₆ **10**
TCH 348N Mos. Pavone Mix Ocean **3180**


PEZZI SPECIALI

Special coordinated pieces. Zusammenstellbare Formteile. Pièces spéciales coordonnées.

9.5 MM	Battiscopa 7x60	Gradino Elle Rettificato 33x1120x4	Angolo DX Rettificato 33x120x4	Angolo SX Rettificato 33x120x4
	15 230	01 670	01 676	01 676
CREAM	TCH B40K	TCH G41K	TCH G42K	TCH G45K
FOSSIL	TCH B10K	TCH G11K	TCH G12K	TCH G15K
SEAL	TCH B20K	TCH G21K	TCH G22K	TCH G25K
DARK	TCH B90K	TCH G91K	TCH G92K	TCH G95K
OCEAN	TCH B30K	TCH G31K	TCH G32K	TCH G35K
COTTON	TCH B80K	TCH G81K	TCH G82K	TCH G85K

LA SCALA DI CASA TUA.

YOUR STAIRCASE / DIE TREPPE IN IHREM ZUHAUSE. / L'ESCALIER DE VOTRE MAISON.



PEZZI SPECIALI ON DEMAND 20MM*

Special coordinated pieces. Zusammenstellbare Formteile. Pièces spéciales coordonnées.

20 MM	Toro Gradino 32x100	Bordo Rett. Antiderapant 32x100	Bordo Angolo SX / DX Rett. 32x100	Griglia Rettificata 20x50	Griglia Angolo SX / DX Rett. 20x50
	02 650	02 652	02 662	02 590	02 610
CREAM	TCH G43K	TCH W41K	TCH W42K	TCH W45K	TCH W46K
FOSSIL	TCH G13K	TCH W11K	TCH W12K	TCH W15K	TCH W16K
SEAL	TCH G23K	TCH W21K	TCH W22K	TCH W25K	TCH W26K
DARK	TCH G93K	TCH W91K	TCH W92K	TCH W95K	TCH W96K

* **6** SETTIMANE DI CONSEGNA / DELIVERY WEEKS / SECHS WOCHEN LIEFERZEIT / SEMAINES DE LIVRAISON