

ANSI A 137.1 V3	TECHNICAL	DIN 51130	DIN 51097	BCR	ANSI DCOF	Deep Abrasion Resistance	MOHS	BS 7976	Recommended Use	Resistance to Staining
N	NATURAL	R10	A+B	DRY > 0.40 WET > 0.40	WET ≥ 0.42	< 175 mm ³	≥ 5	> 36	4	5
S	SPAZZOLATO	-	-	DRY > 0.40 WET > 0.40	-	< 175 mm ³	-	-	3	3



100x100 - 39³/₈x39³/₈
TRM 108R Milk Rettificato

02
1100



60x120 - 23⁵/₈x47¹/₄
TRM 82RT Milk Rettificato

02
1085



60x120 - 23⁵/₈x47¹/₄
TRM 85RT Struttura Mesh Milk Rettificato

02
1095



30x60 - 11¹³/₁₆x23⁵/₈
TRM 83RT Struttura Mesh Milk Rettificato

07
1045



60x90 - 23⁵/₈x35⁷/₁₆
TRM 89RT Milk Rettificato

02
1080



10x30 - 3¹⁵/₁₆x11¹³/₁₆
TRM 81RT Milk Rettificato

28
1075



60x60 - 23⁵/₈x23⁵/₈
TRM 80RT Milk Rettificato

03
1065




30x60 - 11¹³/₁₆x23⁵/₈
TRM 86RT Milk Rettificato

07
1035



30x30 - 11¹³/₁₆x11¹³/₁₆
TRM 885N Mos. 5x5 Milk

10
3115




30x30 - 11¹³/₁₆x11¹³/₁₆
TRM 888N Trama Milk/Storm

10
3145



30x30 - 11¹³/₁₆x11¹³/₁₆
TRM 884N Textile Milk

10
3120




28x28 - 11"x11"
TRM 887N Lisca Milk

10
3135



30x31,5 - 11¹³/₁₆x12³/₈
TRM 886N Esagona Milk

10
3160



30x60 - 11¹³/₁₆x23⁵/₈
TRM 889N Muretto Milk 3/8

04
3130

			
Battiscopa 7x60	Gradino Elle Rettificato 33x120x4	Angolo DX Rettificato 33x120x4	Angolo SX Rettificato 33x120x4
15 230	01 670	01 676	01 676
TRM B80K	TRM G81K	TRM G82K	TRM G85K

*** 6 SETTIMANE DI CONSEGNA / DELIVERY WEEKS / WOCHEN LIEFERZEIT / SEMAINES DE LIVRAISON**

Milk SPAZZOLATO



60x120 - 23⁵/₈x47¹/₄
TRM 825R Milk Spazzolato Rettificato

02
1115




60x60 - 23⁵/₈x23⁵/₈
TRM 80SR Milk Spazzolato Rettificato

03
1105



100x100 - 39³/₈x39³/₈
TRM 108S Milk Spazzolato Rettificato


02
1125



30x60 - 11¹³/₁₆x23⁵/₈
TRM 889S Muretto Milk Spazzolato

04
3140

THERMAE Grey


cm. 100x100 **cm. 60x120** **cm. 60x90** **cm. 60x60** **cm. 30x60** **cm. 10x30**
 inch. 39³/₈x39³/₈ inch. 23⁵/₈x47¹/₄ inch. 23⁵/₈x35⁷/₁₆ inch. 23⁵/₈x23⁵/₈ inch. 11¹³/₁₆x23⁵/₈ inch. 3¹⁵/₁₆x11¹³/₁₆

ANSI A 137.1 V3	TECHNICAL	DIN 51130	DIN 51097	BCR	ANSI DCOF	Deep Abrasion Resistance	MOHS	BS 7976	Recommended Use	Resistance to Staining
N	NATURAL	R10	A+B	DRY > 0.40 WET > 0.40	WET ≥ 0.42	< 175 mm ³	≥ 5	> 36	4	5
S	SPAZZOLATO	-	-	DRY > 0.40 WET > 0.40	-	< 175 mm ³	-	-	3	3



100x100 - 39³/₈x39³/₈
TRM 101R Grey Rettificato

02
1100



60x120 - 23⁵/₈x47¹/₄
TRM 12RT Grey Rettificato

02
1085



60x120 - 23⁵/₈x47¹/₄
TRM 15RT Struttura Mesh Grey Rettificato

02
1095



30x60 - 11¹³/₁₆x23⁵/₈
TRM 13RT Struttura Mesh Grey Rettificato

07
1045

Grey SPAZZOLATO



60x90 - 23⁵/₈x35⁷/₁₆
TRM 19RT Grey Rettificato

02
1080



10x30 - 3¹⁵/₁₆x11¹³/₁₆
TRM 11RT Grey Rettificato

28
1075



60x60 - 23⁵/₈x23⁵/₈
TRM 10RT Grey Rettificato

03
1065



30x60 - 11¹³/₁₆x23⁵/₈
TRM 16RT Grey Rettificato

07
1035



60x120 - 23⁵/₈x47¹/₄
TRM 125R Grey Spazzolato Rettificato

02
1115




60x60 - 23⁵/₈x23⁵/₈
TRM 105R Grey Spazzolato Rettificato

03
1105




30x30 - 11¹³/₁₆x11¹³/₁₆
TRM 115N Mos. 5x5 Grey

DIN 51130
R10
DIN 51097
A+B




30x30 - 11¹³/₁₆x11¹³/₁₆
TRM 118N Trama Grey/Storm

10
3145



30x30 - 11¹³/₁₆x11¹³/₁₆
TRM 114N Textile Grey

10
3120



28x28 - 11"x11"
TRM 117N Lisca Grey

10
3135



30x31,5 - 11¹³/₁₆x12³/₈
TRM 116N Esagona Grey

10
3160



30x60 - 11¹³/₁₆x23⁵/₈
TRM 119N Muretto Grey

04
3130

			
Battiscopa 7x60	Gradino Elle Rettificato 33x120x4	Angolo DX Rettificato 33x120x4	Angolo SX Rettificato 33x120x4
15 230	01 670	01 676	01 676
TRM B10K	TRM G11K	TRM G12K	TRM G15K

* **6** SETTIMANE DI CONSEGNA /
DELIVERY WEEKS /
WOCHEN LIEFERZEIT /
SEMAINES DE LIVRAISON



100x100 - 39³/₈x39³/₈
TRM 101S Grey Spazzolato Rettificato

02
1125



30x60 - 11¹³/₁₆x23⁵/₈
TRM 119S Muretto Grey Spazzolato

04
3140



cm. 100x100
inch. 39³/₈x39³/₈

cm. 60x120
inch. 23⁵/₈x47¹/₄

cm. 60x90
inch. 23⁵/₈x35⁷/₁₆

cm. 60x60
inch. 23⁵/₈x23⁵/₈

cm. 30x60
inch. 11¹³/₁₆x23⁵/₈

cm. 10x30
inch. 3¹⁵/₁₆x11¹³/₁₆



100x100 - 39³/₈x39³/₈
TRM 102R Storm Rettificato




10x30 - 3¹⁵/₁₆x11¹³/₁₆
TRM 21RT Storm Rettificato




60x120 - 23⁵/₈x47¹/₄
TRM 22RT Storm Rettificato




60x90 - 23⁵/₈x35⁷/₁₆
TRM 29RT Storm Rettificato
60x90 - 23⁵/₈x35⁷/₁₆
TRM 29AS Storm Antislip Rettificato




30x30 - 11¹³/₁₆x11¹³/₁₆
TRM 225N Mos. 5x5 Storm




30x30 - 11¹³/₁₆x11¹³/₁₆
TRM 228N Trama Storm/Grey




30x30 - 11¹³/₁₆x11¹³/₁₆
TRM 224N Textile Storm



28x28 - 11"x11"
TRM 227N Lisca Storm



30x31,5 - 11¹³/₁₆x12³/₈
TRM 226N Esagona Storm



30x60 - 11¹³/₁₆x23⁵/₈
TRM 229N Muretto Storm

Battiscopa 7x60	Gradino Elle Rettificato 33x120x4	Angolo DX Rettificato 33x120x4	Angolo SX Rettificato 33x120x4
15 230	01 670	01 676	01 676
TRM B20K	TRM G21K	TRM G22K	TRM G25K

* **6** SETTIMANE DI CONSEGNA /
DELIVERY WEEKS /
WOCHEN LIEFERZEIT /
SEMAINES DE LIVRAISON

ANSI A 137.1 V3	TECHNICAL	DIN 51130	DIN 51097	BCR	ANSI DCOF	Deep Abrasion Resistance	MOHS	BS 7976	Recommended Use	Resistance to Staining
N	NATURAL	R10	A+B	DRY > 0.40 WET > 0.40	WET ≥ 0.42	< 175 mm ³	≥ 5	> 36	4	5
S	SPAZZOLATO	-	-	DRY > 0.40 WET > 0.40	-	< 175 mm ³	-	-	3	3
AS	ANTISLIP	R11	A+B+C	DRY > 0.40 WET > 0.40	WET ≥ 0.42	< 175 mm ³	≥ 7	-	5	5

Storm SPAZZOLATO



60x120 - 23⁵/₈x47¹/₄
TRM 22SR Storm Spazzolato Rettificato




60x60 - 23⁵/₈x23⁵/₈
TRM 20SR Storm Spazzolato Rettificato



100x100 - 39³/₈x39³/₈
TRM 102S Storm Spazzolato Rettificato



30x60 - 11¹³/₁₆x23⁵/₈
TRM 229S Muretto Storm Spazzolato


cm. 100x100 **cm. 60x120** **cm. 60x90** **cm. 60x60** **cm. 30x60** **cm. 10x30**
 inch. 39³/₈x39³/₈ inch. 23⁵/₈x47¹/₄ inch. 23⁵/₈x35⁷/₁₆ inch. 23⁵/₈x23⁵/₈ inch. 11¹³/₁₆x23⁵/₈ inch. 3¹⁵/₁₆x11¹³/₁₆

ANSI A 137.1 V3	TECHNICAL	DIN 51130	DIN 51097	BCR	ANSI DCOF	Deep Abrasion Resistance	MOHS	BS 7976	Recommended Use	Resistance to Staining
N	NATURAL	R10	A+B	DRY > 0.40 WET > 0.40	WET ≥ 0.42	< 175 mm ³	≥ 5	> 36	4	5
S	SPAZZOLATO	-	-	DRY > 0.40 WET > 0.40	-	< 175 mm ³	-	-	3	3
AS	ANTISLIP	R11	A+B+C	DRY > 0.40 WET > 0.40	WET ≥ 0.42	< 175 mm ³	≥ 7	-	5	5




100x100 - 39³/₈x39³/₈
TRM 104R Honey Rettificato




60x90 - 23⁵/₈x35⁷/₁₆
TRM 49RT Honey Rettificato


60x90 - 23⁵/₈x35⁷/₁₆
TRM 49AS Honey Antislip Rettificato



30x30 - 11¹³/₁₆x11¹³/₁₆
TRM 445N Mos. 5x5 Honey




30x30 - 11¹³/₁₆x11¹³/₁₆
TRM 448N Trama Honey/Caramel



30x60 - 11¹³/₁₆x23⁵/₈
TRM 449N Muretto Honey



60x120 - 23⁵/₈x47¹/₄
TRM 42RT Honey Rettificato



10x30 - 3¹⁵/₁₆x11¹³/₁₆
TRM 41RT Honey Rettificato




60x60 - 23⁵/₈x23⁵/₈
TRM 40RT Honey Rettificato



30x60 - 11¹³/₁₆x23⁵/₈
TRM 46RT Honey Rettificato



30x30 - 11¹³/₁₆x11¹³/₁₆
TRM 444N Textile Honey



28x28 - 11"x11"
TRM 447N Lisca Honey



30x31,5 - 11¹³/₁₆x12³/₈
TRM 446N Esagona Honey

			
Battiscopa 7x60	Gradino Elle Rettificato 33x120x4	Angolo DX Rettificato 33x120x4	Angolo SX Rettificato 33x120x4
15 230	01 670	01 676	01 676
TRM B40K	TRM G41K	TRM G42K	TRM G45K

* **6** SETTIMANE DI CONSEGNA /
DELIVERY WEEKS /
WOCHEN LIEFERZEIT /
SEMAINES DE LIVRAISON



60x120 - 23⁵/₈x47¹/₄
TRM 45RT Struttura Mesh Honey Rettificato



30x60 - 11¹³/₁₆x23⁵/₈
TRM 43RT Struttura Mesh Honey Rettificato


Honey SPAZZOLATO



60x120 - 23⁵/₈x47¹/₄
TRM 425R Honey Spazzolato Rettificato



60x60 - 23⁵/₈x23⁵/₈
TRM 40SR Honey Spazzolato Rettificato



30x60 - 11¹³/₁₆x23⁵/₈
TRM 449S Muretto Honey Spazzolato



100x100 - 39³/₈x39³/₈
TRM 104S Honey Spazzolato Rettificato

THERMAE Caramel



cm. 100x100
inch. 39³/₈x39³/₈

cm. 60x120
inch. 23⁵/₈x47¹/₄

cm. 60x90
inch. 23⁵/₈x35⁷/₁₆

cm. 60x60
inch. 23⁵/₈x23⁵/₈

cm. 30x60
inch. 11¹³/₁₆x23⁵/₈

cm. 10x30
inch. 3¹⁵/₁₆x11¹³/₁₆



100x100 - 39³/₈x39³/₈
TRM 103R Caramel Rettificato

02
1100



10x30 - 3¹⁵/₁₆x11¹³/₁₆
TRM 31RT Storm Rettificato

28
1075



60x120 - 23⁵/₈x47¹/₄
TRM 32RT Caramel Rettificato

02
1085



60x90 - 23⁵/₈x35⁷/₁₆
TRM 39RT Caramel Rettificato

02
1080

60x90 - 23⁵/₈x35⁷/₁₆
TRM 39AS Caramel Antislip Rettificato

02
1085



R11
A+B+C



60x60 - 23⁵/₈x23⁵/₈
TRM 30RT Caramel Rettificato

03
1065




30x60 - 11¹³/₁₆x23⁵/₈
TRM 36RT Caramel Rettificato


07
1035




30x30 - 11¹³/₁₆x11¹³/₁₆
TRM 335N Mos. 5x5
Caramel




30x30 - 11¹³/₁₆x11¹³/₁₆
TRM 338N Trama
Caramel/Honey



30x30 - 11¹³/₁₆x11¹³/₁₆
TRM 334N Textile
Caramel



28x28 - 11"x11"
TRM 337N Lisca
Caramel



30x31,5 - 11¹³/₁₆x12³/₈
TRM 336N Esagona
Caramel



30x60 - 11¹³/₁₆x23⁵/₈
TRM 339N Muretto Caramel

04
3130

Battiscopa 7x60	Gradino Elle Rettificato 33x120x4	Angolo DX Rettificato 33x120x4	Angolo SX Rettificato 33x120x4
15 230	01 670	01 676	01 676
TRM B30K	TRM G31K	TRM G32K	TRM G35K

* 6 SETTIMANE DI CONSEGNA /
DELIVERY WEEKS /
WOCHEIN LIEFERZEIT /
SEMAINES DE LIVRAISON

ANSI A 137.1 V3	TECHNICAL	DIN 51130	DIN 51097	BCR	ANSI DCOF	Deep Abrasion Resistance	MOHS	BS 7976	Recommended Use	Resistance to Staining
N	NATURAL	R10	A+B	DRY > 0.40 WET > 0.40	WET ≥ 0.42	< 175 mm ³	≥ 5	> 36	4	5
S	SPAZZOLATO	-	-	DRY > 0.40 WET > 0.40	-	< 175 mm ³	-	-	3	3
AS	ANTISLIP	R11	A+B+C	DRY > 0.40 WET > 0.40	WET ≥ 0.42	< 175 mm ³	≥ 7	-	5	5

Caramel SPAZZOLATO



60x120 - 23⁵/₈x47¹/₄
TRM 32SR Caramel Spazzolato Rettificato

02
1115



60x60 - 23⁵/₈x23⁵/₈
TRM 30SR Caramel Spazzolato Rettificato

03
1105



100x100 - 39³/₈x39³/₈
TRM 103S Caramel Spazzolato Rettificato

02
1125



30x60 - 11¹³/₁₆x23⁵/₈
TRM 339S Muretto Caramel Spazzolato

04
3140

THERMAE 20MM



cm. 100x100
inch. 39³/₈x39³/₈

cm. 60x120
inch. 23⁵/₈x47¹/₄

cm. 60x90
inch. 23⁵/₈x35⁷/₁₆



TECHNICAL	DIN 51130	DIN 51097	BCR	ANSI DCOF	Deep Abrasion Resistance	MOHS	Recommended Use	Resistance to Staining	ANSI A 137.1
OUT WALK 20 MM	R11	A+B+C	DRY > 0.40 WET > 0.40	WET ≥ 0.42	< 130 mm ³	≥ 8	5	5	V3




Honey



Storm



Caramel



COLOR

	01 1140	01 1130	01 1125	1q 1135
Honey	TRM 124R	TRM 462R	TRM 469R	TRM M433
Caramel	TRM 123R	TRM 362R	TRM 369R	TRM M333
Storm	TRM 122R	TRM 262R	TRM 269R	TRM M233